

PORTABLE SANDERS

Contents

	Page
ORBITAL SANDERS	26
SANDING SHEETS	30
DELTA SANDERS	30
RANDOM ORBIT SANDERS	31
SANDING DISCS	34
POLISHING ACCESSORIES	35
ANGLE SANDERS	35
POLISHERS	35
RANDOM ORBIT SANDERS	37
BELT SANDERS	39




Draper Palm Sander

Draper DIY orbital sander. Features include

- Compact ergonomic design.
- Dust extraction facility with dust bag.
- Sanding sheet punch plate.
- Two year guarantee (parts).
- One year guarantee (labour).

PT200 Palm Sander

Stock No	Voltage	Power Input	Price
195670	230 V	200 W	24.27
Pad Size	104 x 115 mm		
Abrasive Sheet Size	145 x 115 mm		
No Load Speed	12000 rpm		
Orbit Diameter	0.8 mm		
Weight	2 kg		

Sanding Sheets. Fit PT200 palm sander. Hole punched. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222600	145 x 115 mm	60	3.26
222601	145 x 115 mm	80	3.26
222602	145 x 115 mm	120	3.26


Draper Orbital Sander

Draper DIY orbital sander. Features include

- Ergonomic design with soft grip handle.
- Quick change sheet clamps.
- Dust extraction facility.
- Supplied with 10 abrasive sheets.
- Two year guarantee (parts).
- One year guarantee (labour).

PT141 Orbital Sander

Stock No	Voltage	Power Input	Price
195675	230 V	140 W	17.77
Pad Size	187 x 93 mm		
Abrasive Sheet Size	230 x 93 mm		
No Load Speed	10000 rpm		
Orbit Diameter	2.5 mm		
Weight	1.5 kg		

Sanding Sheets. Fit PT141 orbital sander. Hole punched. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
221443	230 x 93 mm	60	1.90
221442	230 x 93 mm	80	1.81
221441	230 x 93 mm	120	1.71


Draper Orbital Sander

Draper DIY orbital sander with large base plate (½ sheet size). Features include

- Ergonomic design with soft grip handle.
- Sturdy aluminium base plate.
- Quick change sheet clamps.
- Dust extraction facility.
- Supplied with 10 abrasive sheets.
- Two year guarantee (parts).
- One year guarantee (labour).

PT280 Orbital Sander

Stock No	Voltage	Power Input	Price
195676	230 V	200 W	31.93
Pad Size	227 x 115 mm		
Abrasive Sheet Size	280 x 115 mm		
No Load Speed	12000 rpm		
Orbit Diameter	2.5 mm		
Weight	2.3 kg		

Sanding Sheets. Fit PT280 orbital sander. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222610	280 x 115 mm	60	2.29
222611	280 x 115 mm	80	2.08
222612	280 x 115 mm	120	2.08


Bosch Orbital Sander

Bosch DIY orbital sander. Features include

- Ergonomic design for both single and two handed use.
- Dust extraction facility.
- Micro Filter System for efficient collection of fine dust.
- Hook and loop base pad for easy sanding sheet change.
- One year guarantee.
- Supplied in carry case.

PSS 200A Orbital Sander

Stock No	Voltage	Power Input	Price
191900	230 V	200 W	42.54
Pad Size	185 x 93 mm		
Abrasive Sheet Size	185 x 93 mm		
No Load Speed	12000 rpm		
Orbit Diameter	1.8 mm		
Weight	1.5 kg		


Makita Palm Sander

Industrial quality orbital sander. Features include

- Compact ergonomic design.
- Small orbit diameter for a smooth finish.
- Dust extraction facility with dust bag.
- Sanding sheet punch plate.
- One year guarantee.

B04553 Orbital Palm Sander

Stock No	Voltage	Power Input	Price
192605	110 V	160 W	54.60
192600	240 V	160 W	54.60
Pad Size	110 x 112 mm		
Abrasive Sheet Size	140 x 115 mm		
No Load Speed	14000 rpm		
Orbit Diameter	1.5 mm		
Weight	0.95 kg		


Makita ½ Sheet Orbital Sander

Industrial quality finishing sander. Features include

- Ergonomic design for either single or two handed use.
- Small orbit diameter for a smooth finish
- Dust extraction facility with dust bag.
- Sanding sheet punch plate.
- Optional base plate for hook and loop sandpaper.
- One year guarantee.

B03700 Orbital Sander

Stock No	Voltage	Power Input	Price
192615	110 V	180 W	54.60
192610	240 V	180 W	54.60
Pad Size	185 x 93 mm		
Abrasive Sheet Size	230 x 93 mm		
No Load Speed	10000 rpm		
Orbit Diameter	1.8 mm		
Weight	1.4 kg		

We are open
7.30 am - 6.00 pm Monday to Friday
and 8.30 am - 1.00 pm Saturday



Makita 1/2 Sheet Orbital Sander

- Industrial quality finishing sander. Features include
- Ergonomic design offers multiple hand placements.
 - Small orbit diameter and high speed rotation for an exceptionally smooth finish.
 - Dust extraction facility with dust bag.
 - Easily hooks up to vacuum hose for superior dust collection.
 - Accepts hook and loop or conventional sandpaper.
 - Large cam-lock sheet clamps for quick sandpaper change.
 - One year guarantee.

B04900 Orbital Finishing Sander

Stock No	Voltage	Power Input	Price
192620	110 V	330 W	148.20
192625	240 V	330 W	148.20
Pad Size	229 x 115 mm		
Abrasive Sheet Size	280 x 115 mm (Conventional Sandpaper) 230 x 115 mm (Hook and Loop Sandpaper)		
No Load Speed	10000 rpm		
Orbit Diameter	2.6 mm		
Weight	2.8 kg		

B04900V Orbital Finishing Sander. Extra feature

- Variable speed.

Stock No	Voltage	Power Input	Price
192630	110 V	330 W	163.15
192635	240 V	330 W	163.15
Pad Size	229 x 115 mm		
Abrasive Sheet Size	280 x 115 mm (Conventional Sandpaper) 230 x 115 mm (Hook and Loop Sandpaper)		
No Load Speed	4000 - 10000 rpm		
Orbit Diameter	2.6 mm		
Weight	2.8 kg		



Makita 1/2 Sheet Orbital Sander

- Industrial quality roughing sander. Features include
- Ergonomic design with multiple hand placements.
 - Large orbit diameter and high power input for fast material removal.
 - Dust extraction facility with dust bag.
 - Easily hooks up to vacuum hose for superior dust collection.
 - Accepts hook and loop or conventional sandpaper.
 - Large cam-lock sheet clamps for quick sandpaper change.
 - One year guarantee.

9046 Orbital Roughing Sander

Stock No	Voltage	Power Input	Price
192640	110 V	600 W	156.00
192645	240 V	600 W	156.00
Pad Size	229 x 115 mm		
Abrasive Sheet Size	280 x 115 mm (Conventional Sandpaper) 230 x 115 mm (Hook and Loop Sandpaper)		
No Load Speed	6000 rpm		
Orbit Diameter	5.0 mm		
Weight	3.0 kg		



Bosch Palm Sander

- Industrial quality orbital sander. Features include
- Compact ergonomic design with two soft-grip surfaces and two grip positions.
 - The Bosch Easy-Fit System, with its automatic paper tensioning, guarantees a perfect hold of the paper without creasing or tearing.
 - Small orbit diameter and perfect paper fit combine for a smooth finish.
 - High quality, long life, white, sanding plate material.
 - Sealed bearings for long service lifetime.
 - Dust extraction with integral micro-filter dust box.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Sanding sheet punch plate.
 - Accepts hook and loop or conventional sandpaper.
 - Low vibration for comfortable fatigue-free working.
 - Three year guarantee.

GSS 140A Orbital Palm Sander

Stock No	Voltage	Power Input	Price
191901	110 V	180 W	69.00
191902	230 V	180 W	69.00
Pad Size	105 x 113 mm		
Abrasive Sheet Size	140 x 115 mm (Conventional Sandpaper) 107 x 115 mm (Hook and Loop Sandpaper)		
No Load Speed	12000 rpm		
Orbit Diameter	1.6 mm		
Weight	1.4 kg		



Stock No 191901


Bosch 1/2 Sheet Orbital Sander

- Industrial quality orbital sander. Features include
- Ergonomic design for either single or two handed use.
 - The Bosch Easy-Fit System, with its automatic paper tensioning, guarantees a perfect hold of the paper without creasing or tearing.
 - Small orbit diameter and perfect paper fit combine for a smooth finish.
 - High quality, long life, white, sanding plate material.
 - Electronically controlled variable speed.
 - Sealed bearings for long service life.
 - Dust extraction with integral micro-filter dust box.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Sanding sheet punch plate.
 - Accepts hook and loop or conventional sandpaper.
 - Low vibration for comfortable fatigue-free working.
 - Three year guarantee.

GSS 23AE Orbital Sander

Stock No	Voltage	Power Input	Price
191903	110 V	190 W	84.00
191904	230 V	190 W	84.00
Pad Size	182 x 92 mm		
Abrasive Sheet Size	230 x 93 mm		
	(Conventional Sandpaper)		
	185 x 93 mm		
	(Hook and Loop Sandpaper)		
No Load Speed	7000 - 12000 rpm		
Orbit Diameter	2.0 mm		
Weight	1.7 kg		


Bosch 1/2 Sheet Orbital Sander

- Industrial quality orbital sander. High performance tool for perfect surface finish. Features include
- Ergonomic design for either single or two handed use
 - Also suitable for left-handers
 - Removable auxiliary handle allows frontal flush sanding
 - Best quality sanding plate material with five times the lifetime of rubber sanding plates
 - Small orbit diameter and quality sanding plate combine for an extremely smooth finish
 - Electronically controlled variable speed
 - Sealed bearings and aluminium bearing flange for long service life.
 - Dust extraction with integral micro-filter dust box.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Accepts hook and loop or conventional sandpaper.
 - Low vibration for comfortable fatigue-free working.
 - Three year guarantee.
 - Supplied in carry case.

GSS 230AE Orbital Sander

Stock No	Voltage	Power Input	Price
191905	110 V	300 W	146.00
191906	230 V	300 W	146.00
Pad Size	182 x 92 mm		
Abrasive Sheet Size	230 x 93 mm		
	(Conventional Sandpaper)		
	185 x 93 mm		
	(Hook and Loop Sandpaper)		
No Load Speed	5500 - 11000 rpm		
Orbit Diameter	2.4 mm		
Weight	2.3 kg		


Bosch 1/2 Sheet Orbital Sander

- Industrial quality orbital sander. High performance tool for perfect surface finish. Features include
- Ergonomic design enables exact guidance of the tool in one-hand or two-hand operation.
 - Suitable for left-handers.
 - Removable auxiliary handle allows frontal flush sanding.
 - Best quality sanding plate material with five times the lifetime of rubber sanding plates.
 - Small orbit diameter and quality sanding plate combine for an extremely smooth finish with no rounded edges.
 - Electronically controlled variable speed.
 - Sealed bearings and aluminium bearing flange for long service life.
 - Dust extraction with paper dust bag.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Accepts hook and loop or conventional sandpaper.
 - Low vibration for comfortable fatigue-free working.
 - Three year guarantee.

GSS 280A Orbital Sander

Stock No	Voltage	Power Input	Price
191907	110 V	330 W	177.00
191908	230 V	330 W	177.00
Pad Size	226 x 114 mm		
Abrasive Sheet Size	280 x 115 mm		
	(Conventional Sandpaper)		
	230 x 115 mm		
	(Hook and Loop Sandpaper)		
No Load Speed	5500 - 11000 rpm		
Orbit Diameter	2.4 mm		
Weight	2.6 kg		


Stock No 191905


Bosch 1/2 Sheet Orbital Sander

Industrial quality orbital sander. High performance tool for perfect surface finish. Features include

- Ergonomic design enables exact guidance of the tool in one-hand or two-hand operation.
- Suitable for left-handers.
- Removable auxiliary handle allows full frontal flush sanding.
- Best quality sanding plate material with five times the lifetime of rubber sanding plates.
- Small orbit diameter and quality sanding plate combine for an extremely smooth finish with no rounded edges.
- Electronically controlled variable speed.
- Sealed bearings and aluminium bearing flange for long service life.
- Dust extraction with integral micro-filter dust box.
- Easily hooks up to vacuum hose for superior dust collection.
- Accepts hook and loop or conventional sandpaper.
- Low vibration for comfortable fatigue-free working.
- Three year guarantee.
- Supplied in carry case.

GSS 280AE Orbital Sander

Stock No	Voltage	Power Input	Price
191909	110 V	330 W	184.00
191910	230 V	330 W	184.00
Pad Size 226 x 114 mm			
Abrasive Sheet Size 280 x 115 mm			
No Load Speed 5500 - 11000 rpm			
Orbit Diameter 2.4 mm			
Weight 2.6 kg			


DeWalt Palm Sander

Industrial quality orbital sander that combines outstanding performance with durability. Features include

- Compact lightweight design with two soft-grip surfaces for comfort and control.
- Small orbit diameter for a smooth finish.
- Dust sealed switch for improved durability.
- Sealed 100% ball-bearing construction for long service life.
- Dust extraction with high capacity dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- Sanding sheet punch plate.
- Accepts hook and loop or conventional sandpaper.
- Low vibration reduces operator fatigue.
- One year guarantee.

D26441 Orbital Palm Sander

Stock No	Voltage	Power Input	Price
190600	110 V	230 W	85.00
190601	230 V	230 W	85.00
Pad Size 108 x 115 mm			
Abrasive Sheet Size 140 x 115 mm			
No Load Speed 14000 rpm			
Orbit Diameter 1.4 mm			
Weight 1.4 kg			


DeWalt 1/2 Sheet Orbital Sander

Industrial quality orbital sander that combines outstanding performance with durability. Features include

- Ergonomic design with anti-slip gripping surfaces for comfort and control.
- High performance motor for continuous use.
- Small orbit diameter for a smooth finish.
- Electronically controlled variable speed.
- Sealed bearings with aluminium bearing seats for long service life.
- Dust extraction with integrated dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- The sturdy, easy action, abrasive sheet clips are inset to avoid contact with adjacent surfaces.
- Accepts hook and loop or conventional sandpaper.
- One year guarantee.

D26422 Orbital Sander

Stock No	Voltage	Power Input	Price
190602	110 V	350 W	189.00
190603	230 V	350 W	189.00
Pad Size 190 x 92 mm			
Abrasive Sheet Size 230 x 93 mm			
No Load Speed 12000 - 22000 rpm			
Orbit Diameter 2.5 mm			
Weight 2.6 kg			


Stock No 191909



DeWalt 1/2 Sheet Orbital Sander

Industrial quality orbital sander that combines outstanding performance with durability. Features include

- Ergonomic design with anti-slip gripping surfaces for comfort and control.
- High performance motor for continuous use.
- Small orbit diameter for smooth finish.
- Sealed bearings with aluminium bearing seats for long service life.
- Dust extraction with integrated dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- The sturdy, easy action, abrasive sheet clips are inset to avoid contact with adjacent surfaces.
- Accepts hook and loop or conventional sandpaper.
- One year guarantee.

D26421 Orbital Sander

Stock No	Voltage	Power Input	Price
190604	110 V	350 W	185.00
190605	230 V	350 W	185.00

Pad Size	236 x 112 mm
Abrasive Sheet Size	280 x 115 mm
No Load Speed	22000 rpm
Orbit Diameter	2.5 mm
Weight	2.8 kg

D26420 Orbital Sander. Extra feature

- Electronically controlled variable speed.

Stock No	Voltage	Power Input	Price
190606	110 V	350 W	195.00
190607	230 V	350 W	195.00

Pad Size	236 x 112 mm
Abrasive Sheet Size	280 x 115 mm
No Load Speed	12000 - 22000 rpm
Orbit Diameter	2.5 mm
Weight	2.8 kg

Bosch Sanding Sheets CONTINUED >

Sanding Sheets. Clamp fitting for half sheet sanders. Punched for through-the-pad dust collection. Fit Makita half sheet sanders and many other manufacturers similar machines. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222812	280 x 115 mm	60	3.86
222814	280 x 115 mm	80	3.18
222816	280 x 115 mm	120	3.18
222818	280 x 115 mm	180	3.18

Sanding Sheets. Hook and loop fitting for 1/2 sheet sanders. Punched for through-the-pad dust collection. Fit Bosch PSS 200 A and many other manufacturers similar machines. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
224106	185 x 93 mm	60	3.25
224108	185 x 93 mm	80	3.16
224112	185 x 93 mm	120	3.16
224118	185 x 93 mm	180	3.16

Sanding Sheets. Hook and loop fitting for 1/2 sheets sanders. Punched for through-the-pad dust collection. Fit Bosch PSS 200 A and many other manufacturers similar machines. Supplied and priced in packs of fifty.

Stock No	Size	Grit	Price
222832	185 x 93 mm	60	10.27
222834	185 x 93 mm	80	9.87
222836	185 x 93 mm	120	9.87
222838	185 x 93 mm	180	11.33

Sanding Sheets. Hook and loop fitting for half sheet sanders. Punched for through-the-pad dust collection. Fit Makita, Bosch and many other manufacturers similar machines. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222842	230 x 115 mm	60	5.02
222844	230 x 115 mm	80	4.55
222846	230 x 115 mm	120	4.23
222848	230 x 115 mm	180	4.23

Sanding Sheets. Hook and loop fitting for half sheet sanders. Punched for through-the-pad dust collection. Fit Makita, Bosch and many other manufacturers similar machines. Supplied and priced in packs of fifty.

Stock No	Size	Grit	Price
222852	230 x 115 mm	60	21.06
222854	230 x 115 mm	80	17.48
222856	230 x 115 mm	120	16.71
222858	230 x 115 mm	180	16.71



Draper Tri-Base Sander

Draper DIY sander that gets right into corners. Ideal for window frames, door panels, decorative rails and skirting boards. Features include

- Dust extraction facility.
- Hook and loop sanding pad for easy sanding sheet change.
- One year guarantee.

PT180 Tri-Base Sander

Stock No	Voltage	Power Input	Price
195672	230 V	180 W	21.00
No Load Speed	8000 rpm		
Weight	1.1 kg		

Triangular Sanding Sheets. For use with tri-base sanders. Aluminium oxide grit. Hook and loop fitting. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222620	93 mm	60	3.28
222621	93 mm	80	3.28
222622	93 mm	120	3.28
222623	93 mm	240	3.28



Bosch Sanding Sheets

Sanding sheets for Bosch and other manufacturers orbital sanders. Complete range for coarse to fine sanding of all woods. Made from aluminium oxide grit bonded to tough paper.

Sanding Sheets. Clamp fitting for 1/2 sheet sanders. Punched for through-the-pad dust collection. Fit Makita B03700 and many other manufacturers similar machines. Supplied and priced in packs of ten.

Stock No	Size	Grit	Price
222802	230 x 93 mm	60	2.56
222804	230 x 93 mm	80	2.11
222806	230 x 93 mm	120	2.11
222808	230 x 93 mm	180	2.11



Stock No 190604

CONTINUED >



Bosch Delta Sander

Industrial quality orbital sander for sanding and polishing in hard-to-reach areas. Features include

- Ergonomic design with small grip circumference and soft-grip surfaces.
- Good orbit size for fast stock removal.
- Quick-fit sanding pad.
- Uses hoop and loop sanding sheets.
- Dust extraction nozzle.
- Electronically controlled variable speed.
- Supplied with
 - 15 standard sanding sheets
 - Louvre sanding attachment
 - 2 sanding fingers (flat and oval)
 - 5 sanding sheets for sanding fingers
 - 1 polishing felt.
- Three year guarantee.
- Supplied in carry case.

GDA 280E Delta Sander

Stock No	Voltage	Power Input	Price
191920	110 V	280 W	112.00
191921	230 V	280 W	112.00
Pad Size	92 x 92 x 92 mm		
Abrasive Sheet Size	93 x 93 x 93 mm		
No Load Speed	13000 - 19000 rpm		
Orbit Diameter	2.0 mm		
Weight	1.1 kg		

Delta Sanding Sheets. Standard triangular abrasive sheets for sanding wood. With hook and loop fitting and extraction holes for dust collection. Size is 93 mm corner to corner.

Stock No	Size	Grit	Price
222704	40	5	2.78
222706	60	5	2.46
222708	80	5	2.31
222712	120	5	2.31
222718	180	5	2.31
222724	240	5	2.31
222730	40	50	14.35
222732	60	50	12.06
222734	80	50	11.29
222736	120	50	11.29
222738	180	50	11.29
222740	240	50	11.29

Triangular abrasive sheets for sanding paint and stone are also available.

Finger Sanding Sheets. Specialist abrasive sheets that fit the sanding fingers. Hook and loop fitting.

Stock No	Size	Grit	Price
222742	40	5	2.02
222744	60	5	2.02
222746	80	5	2.02
222748	120	5	2.02
222750	240	5	2.02

Delta Sander Accessories. For GDA 280E Delta Sander.

Stock No	Description	Price
222752	Cleaning Fleece	5.74
222754	Polishing Felt	5.74
222756	Replacement Sanding Plate	5.32



DeWalt Detail Sander

Industrial quality orbital sander for sanding in corners, against edges and in confined areas. Features include

- High performance motor for continuous use.
- Good orbit size for fast stock removal.
- Quick-fit sanding pad.
- Uses hoop and loop sanding sheets.
- Dust extraction with integrated dust collection cartridge.
- Easily hooks up to a vacuum hose for superior dust collection.
- Electronically controlled variable speed.
- 360° rotating sanding plate for improved access and uniform sanding sheet wear.
- Optional scraper blade and louvre sanding attachments.
- One year guarantee.

D26430 Detail Sander

Stock No	Voltage	Power Input	Price
190620	110 V	300 W	95.00
190621	230 V	300 W	95.00
Pad Size	93 x 93 x 93 mm		
Abrasive Sheet Size	93 x 93 x 93 mm		
No Load Speed	14000 - 22000 rpm		
Orbit Diameter	1.8 mm		
Weight	1.3 kg		



Draper 5" Random Orbit Sander

Draper DIY random orbit sander and polisher. Features include

- Powerful motor.
- Variable speed.
- Dust extraction facility with dust bag.
- Hook and loop base pad for easy sanding disc change.
- One year guarantee.

RS480K Random Orbit Sander

Stock No	Voltage	Power Input	Price
195678	230 V	480 W	43.93
Pad Size	125 mm		
No Load Speed	5000 - 12000 rpm		
Orbit Diameter	2.5 mm		
Weight	2.6 kg		



Bosch 5" Random Orbit Sander

Bosch DIY random orbit sander and polisher. Features include

- Removes material quickly with coarse abrasives.
- Super smooth finish with fine abrasives.
- Variable speed.
- Dust extraction facility.
- Micro Filter System for efficient collection of fine dust.
- Hook and loop base pad for easy sanding disc change.
- Two years guarantee.

PEX 270AE Random Orbit Sander

Stock No	Voltage	Power Input	Price
199330	230 V	270 W	59.57
Pad Size	125 mm		
No Load Speed	7500 - 12000 rpm		
Orbit Diameter	4 mm		
Weight	1.5 kg		



Makita 5" Random Orbit Sander

Industrial quality random orbit sander. Features include

- Lightweight body with ergonomically designed palm grip for comfortable prolonged handling.
- Fast stock removal with coarse abrasives.
- Super smooth finish with fine abrasives.
- Through-the-pad dust extraction with large capacity dust bag.
- Easily hooks up to vacuum hose for superior dust collection.
- Uses hook and loop abrasive discs.
- All ball bearing construction for reduced noise and low vibration.
- One year guarantee.

BO5010 Random Orbit Sander

Stock No	Voltage	Power Input	Price
192648	110 V	220 W	82.55
192649	240 V	220 W	82.55
Pad Size	125 mm		
Abrasive Disc Size	125 mm		
Orbits per Minute	12000 opm		
Orbit Diameter	2.8 mm		
Weight	1.2 kg		

Makita 5" Random Orbit Sander CONTINUED >

B05012 Random Orbit Sander. Extra features

- Variable speed control allows selection of optimum speed for every application.
- Electronic brake.

Stock No	Voltage	Power Input	Price
192650	110 V	220 W	89.05
192655	240 V	220 W	89.05

Pad Size	125 mm
Abrasive Disc Size	125 mm
Orbits per minute	4000 - 12000 opm
Orbit Diameter	2.8 mm
Weight	1.2 kg

**Makita 6" Random Orbit Sander**

Industrial quality random orbit sander. Features include

- Ergonomically designed handle and body with multiple grip positions for comfortable prolonged handling.
- Removable front handle.
- Fast stock removal with coarse abrasives.
- Super smooth finish with fine abrasives.
- Pad control system prevents scoring on workpiece.
- Through-the-pad dust extraction with integral dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- Uses hook and loop abrasive discs.
- Variable speed control allows selection of optimum speed for every application.
- All ball bearing construction for reduced noise and low vibration.
- One year guarantee.

B06030 Random Orbit Sander

Stock No	Voltage	Power Input	Price
192660	110 V	310 W	148.20
192665	240 V	310 W	148.20

Pad Size	150 mm
Abrasive Disc Size	150 mm
Orbits per Minute	4000 - 10000 opm
Orbit Diameter	3.0 mm
Weight	2.3 kg

**Makita 6" Dual Action Random Orbit Sander**

Industrial quality tool for sanding and polishing wood, metal, plastic, paint and varnish. Features include.

- Powerful 750 watt motor
- Palm-fitting tool head and small diameter barrel grip for comfort and control.
- Low tool height aids access to confined areas.
- Two orbital action settings: one for extra fast stock removal, the other for a super smooth finish.
- Pad control system prevents scoring on workpiece.
- Through-the-pad dust extraction with integral dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- Uses hook and loop abrasive discs.
- Variable speed control allows selection of optimum speed for every application.
- All ball bearing construction for reduced noise and low vibration.
- One year guarantee.
- Supplied in a carry case.

B06040 Dual Action Random Orbit Sander

Stock No	Voltage	Power Input	Price
192670	110 V	750 W	237.25
192675	240 V	750 W	237.25

Pad Size	150 mm
Abrasive Disc Size	150 mm
Orbits per Minute	1600 - 5800 opm
Orbit Diameter	5.5 mm
Weight	2.7 kg

**Bosch 5" Random Orbit Sander**

Industrial quality random orbit sander. Features include

- Ergonomic design enables exact guidance of the tool in one-hand and two-hand operation.
- Suitable for left-handers.
- Removable front handle.
- Random orbit motion and pad rotation combine for a fast stock removal rate and a smooth finish.
- Sanding plate brake prevents scoring on workpiece.
- Through-the-pad dust extraction with integral dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- Uses hook and loop abrasive discs.
- Variable speed control allows selection of optimum speed for every application.
- Electronic power control maintains constant speed under load.
- Sealed bearings and aluminium bearing flange for long service life and high running smoothness.
- Three years guarantee.

GEX 125AC Random Orbit Sander

Stock No	Voltage	Power Input	Price
191927	230 V	340 W	151.00

Pad Size	125 mm
Orbits per Minute	4500 - 12000 opm
Orbit Diameter	5.0 mm
Weight	2.0 kg



Stock No 191927


Bosch 6" Random Orbit Sander

- Industrial quality random orbit sander. Features include
- Ergonomic design enables exact guidance of the tool in one-hand and two-hand operation.
 - Suitable for left-handers.
 - Removable front handle.
 - Random orbit motion and pad rotation combine for a fast stock removal rate and a smooth finish.
 - Sanding plate brake prevents scoring on workpiece.
 - Through-the-pad dust extraction with integral micro-filter dust box.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Uses hook and loop abrasive discs.
 - Variable speed control allows selection of optimum speed for every application.
 - Electronic power control maintains constant speed under load.
 - Sealed bearings and aluminium bearing flange for long service life and high running smoothness.
 - Three years guarantee.

GEX 150AC Random Orbit Sander

Stock No	Voltage	Power Input	Price
191928	110 V	340 W	169.00
191929	230 V	340 W	169.00
Pad Size 150 mm Orbits per Minute 4500 - 12000 opm Orbit Diameter 4.0 mm Weight 2.1 kg			


Bosch 6" Turbo Random Orbit Sander

- Industrial quality tool for sanding and polishing wood, metal, plastic, paint and varnish. Features include
- Powerful 600 watt motor.
 - Compact design, low weight, palm fitting tool head and small diameter barrel grip ensure operator comfort and control.
 - Removable side handle can be fixed to either side of machine.
 - Three tools in one: simply switch to fine sanding, coarse sanding or polishing.
 - Five times faster stock removal in turbo operation (coarse sanding).
 - Wear-free sanding plate brake prevents scoring on workpiece.
 - Through-the-pad dust extraction with connection to an external dust extractor results in 98% dust collection.
 - Uses hook and loop discs.
 - Variable speed control allows selection of optimum speed for every application.
 - Electronic power control maintains constant speed under load.
 - Sealed bearings and aluminium bearing flange for long service life and high running smoothness.
 - Overload protection and robust turbo switch for long service life.
 - Three years guarantee.

GEX 150 Turbo Random Orbit Sander

Stock No	Voltage	Power Input	Price
191930	110 V	600 W	219.00
191931	230 V	600 W	219.00
Pad Size 150 mm Orbits per Minute 3100 - 6650 opm Orbit Diameter 4.5 mm Weight 2.4 kg			


DeWalt 5" Random Orbit Sander

- Industrial quality, palm grip, random orbit sander. Features include
- Compact lightweight design with two soft-grip surfaces for comfort and control.
 - Random orbit motion and pad rotation combine for a fast stock removal rate and a smooth finish.
 - Controlled Finishing System prevents scoring on workpiece.
 - Integral dust collection system with fabric dust bag.
 - Easily hooks up to a vacuum hose for superior dust collection.
 - Uses hoop and loop abrasive discs.
 - Variable speed control allows selection of optimum speed for every application.
 - Sealed ball bearing construction for long service life.
 - Dust sealed switch for improved durability.
 - Dual plane, counterbalance fan for low vibration and reduced operator fatigue.
 - One year guarantee.

D26453 Palm Grip Random Orbit Sander

Stock No	Voltage	Power Input	Price
190630	110 V	280 W	89.25
190631	230 V	280 W	89.25
Pad Size 125 mm Orbits per Minute 7000 - 12000 opm Orbit Diameter 2.4 mm Weight 1.6 kg			



Stock No 190630



DeWalt 6" Random Orbit Sander

Industrial quality, body grip, random orbit sander, ideal for extended use especially when sanding large surfaces such as walls and boat hulls. Features include

- Compact design, soft-grip palm-fitting tool head and small diameter body grip combine for operator comfort and control.
- Multi-position side handle.
- Large orbit size for fast stock removal.
- Controlled Finishing System prevents scoring on workpiece.
- Integral dust collection system with fabric dust bag.
- Easily hooks up to a vacuum hose for superior dust collection.
- Uses hook and loop abrasive discs.
- Variable speed control allows selection of optimum speed for every application (including smooth finishing).
- Sealed ball bearing construction for long service life.
- Dust sealed switch for improved durability.
- One year guarantee.

DW443 Body Grip Random Orbit Sander

Stock No	Voltage	Power Input	Price
190632	110 V	530 W	155.00
190633	230 V	530 W	155.00

Pad Size	150 mm
Orbits per Minute	8400 - 15200 opm
Orbit Diameter	5.0 mm
Weight	2.7 kg



DeWalt 6" Dual Orbit Random Orbit Sander

Industrial quality tool for sanding and polishing. Features include

- Ergonomically designed handle and body with multiple grip positions for comfortable prolonged handling
- Removable front handle
- Two orbit size settings: a 3 mm orbit for smooth finishing and a 6 mm orbit for fast stock removal
- Controlled Finishing System (CFS) prevents scoring on workpiece
- Integral dust collection system with paper and fabric dust bags
- Easily hooks up to a vacuum hose for superior dust collection
- Uses hook and loop abrasive discs
- Variable speed control allows selection of optimum speed for every application
- Sealed ball bearing construction for long service life
- Dust sealed switch for improved durability
- One year guarantee

D26410 Dual Orbit Random Orbit Sander

Stock No	Voltage	Power Input	Price
190634	110 V	400 W	175.00
190635	230 V	400 W	175.00

Pad Size	150 mm
Orbits per Minute	4000 - 10000 opm
Orbit Diameter	3.0 and 6.0 mm
Weight	2.7 kg

5" Sanding Discs CONTINUED >

White Sanding Discs. Bosch high quality abrasive discs. For sanding paints, varnishes, car body filler and plastics.

Stock No	Grit	Pack Quantity	Price
222370	40	5	2.93
222371	60	5	2.73
222372	80	5	2.62
222374	130	5	2.62
222375	180	5	2.62
222376	240	5	2.62
222377	320	5	2.70
222380	40	50	13.15
222381	60	50	12.31
222382	80	50	11.74
222384	120	50	11.74
222385	180	50	11.74
222386	240	50	11.74
222387	320	50	11.74

5" abrasive discs for sanding stone, glass and fibre glass composites are also available.



6" Sanding Discs

Hook and loop fitting. Punched with six holes for through-the-pad dust extraction. For Bosch, Makita and DeWalt 150 mm random orbit sanders.

Sanding Discs. Bosch high quality abrasive discs. For coarse to fine sanding of all woods.

Stock No	Grit	Pack Quantity	Price
222340	40	5	4.23
222341	60	5	3.95
222342	80	5	3.78
222344	120	5	3.78
222345	180	5	3.78
222346	240	5	3.78
222347	320	5	3.78
222350	40	50	19.00
222351	60	50	17.81
222352	80	50	16.94
222354	120	50	16.94
222355	180	50	16.94
222356	240	50	16.94
222357	320	50	16.94

White Sanding Discs. Bosch high quality abrasive discs. For sanding paints, varnishes, car body filler and plastics.

Stock No	Grit	Pack Quantity	Price
222330	40	5	3.82
222331	60	5	3.58
222332	80	5	3.40
222334	120	5	3.40
222335	180	5	3.40
222336	240	5	3.40
222337	320	5	3.40
222320	40	50	17.08
222321	60	50	16.01
222322	80	50	15.27
222324	120	50	15.27
222325	180	50	15.27
222326	240	50	15.27
222327	320	50	15.27

6" abrasive discs for sanding stone, glass and fibre glass composites are also available.

For ease and accuracy when placing orders please use our stock number

Large volume user
and require a quotation?
Call Graeme our Sales Director
on 01224 615030



5" Sanding Discs

Hook and loop fitting. Punched with eight holes for through-the-pad dust extraction. For Draper, Bosch, Makita and DeWalt 125 mm random orbit sanders.

Sanding Discs. Bosch high quality abrasive discs. For coarse to fine sanding of all woods.

Stock No	Grit	Pack Quantity	Price
222360	40	5	3.24
222361	60	5	3.03
222362	80	5	2.90
222364	120	5	2.90
222365	180	5	2.90
222366	240	5	2.90
222367	320	5	2.90
222859	40	50	15.92
222860	60	50	14.95
222862	80	50	14.24
222864	120	50	14.24
222866	180	50	14.24
222867	240	50	14.24
222868	320	50	14.24

CONTINUED >



Polishing Sponge

For rubbing surfaces with polish and wax. Hook and loop fitting for use with random orbit sanders.

Stock No	Diameter	Price
222640	125 mm	6.58
222876	160 mm	8.46



Lambswool Bonnet

Polishing bonnet, especially suitable for high gloss polishing. Hook and loop fitting for use with random orbit sanders.

Stock No	Diameter	Price
222642	125 mm	2.62
222877	160 mm	17.14



Polishing Felt

For working in polishes and polishing wood. Hook and loop fitting for use with random orbit sanders.

Stock No	Diameter	Grade	Price
222870	128 mm	Soft	4.18
222871	160 mm	Soft	12.40
222872	160 mm	Hard	18.54



Sanding Fleece

For bringing out the grain in wood to give it the rustic look, removing the rust from metal and matt sanding of varnishes.

Stock No	Diameter	Grade	Price
222873	150 mm	Coarse	20.82
222874	150 mm	Medium	20.03
222875	150 mm	Fine	14.14



Makita 7" Angle Sander

Industrial quality angle sander. Features include

- Powerful 1600 watt motor.
- Continuously rated motor with outstanding heat resistance.
- Variable speed control allows selection of optimum speed for every application.
- Soft start.
- Takes standard sanding discs.
- Supplied with rubber backing pad and side handle.
- One year guarantee.

SA7000C Angle Sander

Stock No	Voltage	Power Input	Price
192680	110 V	1600 W	177.45
192682	240 V	1600 W	177.45

Pad Size 180 mm
 No Load Speed 0 - 4000 rpm
 Weight 3.2 kg



Makita 7" Sander/Polisher

Industrial quality, dual function machine. Features include

- Variable speed trigger for smooth start-up and ultra slow operation.
- Variable speed dial allows selection of optimum speed for every application.
- Lock-on button for continuous single speed operation.
- Uses hook and loop abrasive discs and polishing bonnet.
- Supplied with rubber backing pad, wool polishing bonnet and D-shaped side/top handle.
- One year guarantee.

9227CB Sander/Polisher

Stock No	Voltage	Power Input	Price
192684	110 V	1200 W	177.45
192686	240 V	1200 W	177.45

Pad Size 180 mm
 No Load Speed 0 - 3000 rpm
 Pre-set Max Speed 600 - 3000 rpm
 Spindle Thread ½" UNC
 Weight 3.0 kg

Makita 7" Sander/Polisher CONTINUED >

White Sanding Discs. 180 mm Makita abrasive discs with hook and loop fitting. For sanding paints, varnishes, body filler and plastics.

Stock No	Grit	Pack Quantity	Price
223819	40	10	6.40
223820	60	10	6.40
223822	80	10	6.40
223824	120	10	6.40
223826	240	10	6.40
223827	320	10	6.40
223828	400	10	6.40
223829	500	10	6.40

Wool Polishing Bonnet. Hook and loop fitting.

Stock No	Diameter	Price
223830	180 mm	12.00

Replacement Backing Pad. Rubber pad with hook and loop fitting.

Stock No	Diameter	Price
223832	180 mm	12.00

Sponges. For use with 9227CB sander polisher.

Stock No	Diameter	Price
223833	Universal Orange Sponge	3.84
223834	Compounding Sponge	5.92
223835	Polishing Sponge	4.56



Sealey 7" Polisher

Trade quality single speed polisher. Features include

- Light weight for comfort and control.
- External access to carbon brushes for easy maintenance.
- Metal alloy gear housing for long service life.
- Spindle lock for easy pad/polishing head change.
- Accepts full range of Sealey compounding heads.
- Supplied with rubber backing pad and side handle.
- One year guarantee.

ER1700P Lightweight Polisher

Stock No	Voltage	Power Input	Price
197100	230 V	800 W	79.96

Pad Size 170 mm
 No Load Speed 1700 rpm
 Spindle Thread M14
 Weight 2.0 kg

CONTINUED >





Sealey 7" Polisher

Industrial quality single speed polisher. Features include

- Heavy duty machine for continuous use.
- Metal alloy gear housing for long service life.
- Trigger on/off switch with lock-on option.
- Spindle lock for easy pad/polishing head change.
- Accepts full range of Sealey compounding heads.
- Supplied with rubber backing pad and side handle.
- One year guarantee.

MS1800P Heavy Duty Polisher

Stock No	Voltage	Power Input	Price
197105	230 V	1010 W	182.35
Pad Size 170 mm			
No Load Speed 1800 rpm			
Spindle Thread M14			
Weight 4.0 kg			



Sealey 7" Sander/Polisher

Trade quality, dual function machine. Features include

- Six speed power control allows selection of speeds for sanding and polishing.
- Metal alloy gear housing for long service life.
- Trigger on/off switch with lock-on option.
- Takes standard abrasive discs.
- Accepts full range of Sealey compounding heads.
- Supplied with rubber backing pad and side handle.
- One year guarantee.

MS900PS Sander/Polisher (6 Speed)

Stock No	Voltage	Power Input	Price
197110	230 V	1100 W	107.96
Pad Size 170 mm			
No Load Speed 1400 - 3200 rpm			
Spindle Thread M14			
Weight 3.8 kg			



Sealey 7" Sander/Polisher

Industrial quality, dual function machine. Features include

- Heavy duty machine for continuous use.
- Metal alloy gear housing for long service life.
- Two speed switch allows selection of speeds for sanding and polishing.
- Trigger on/off switch with lock-on option.
- Spindle lock for easy pad/polishing head change.
- Takes standard abrasive discs.
- Accepts full range of Sealey compounding heads.
- Supplied with rubber backing pad and side handle.
- One year guarantee.

MS600P Heavy Duty Sander/Polisher (2 Speed)

Stock No	Voltage	Power Input	Price
197112	230 V	1100 W	191.95
Pad Size 170 mm			
No Load Speed 1900/2400 rpm			
Spindle Thread M14			
Weight 4.1 kg			



Sealey 7" Sander/Polisher

Industrial quality, dual function machine. Features include

- Heavy duty machine for continuous use.
- Powerful 1300 watt motor.
- Metal alloy gear housing for long service life.
- Six speed power control allows selection of speeds for sanding and polishing.
- Trigger on/off switch with lock-on option.
- Spindle lock for easy pad/polishing head change.
- Takes standard abrasive discs.
- Accepts full range of Sealey compounding heads.
- Supplied with rubber pad and side handle.
- One year guarantee.

MS700PS Heavy Duty Sander/Polisher (6 Speed)

Stock No	Voltage	Power Input	Price
197115	230 V	1300 W	263.96
Pad Size 170 mm			
No Load Speed 600 - 2800 rpm			
Spindle Thread M14			
Weight 4.4 kg			



Compounding Heads

Sealey brand. Synthetic sponge compounding heads, colour coded to indicate intended use. Available with M14 and ½" UNC threads to fit 7" Sealey and Makita polishers.

White Sponge. Dense and firm. Ideal for compounding two-pack paint systems.

Stock No	Diameter	Thread	Price
225900	160 mm	M14	7.96
225902	160 mm	½" UNC	7.96

Blue Sponge. Softer and more open cell. Ideal for cellulose and acrylics.

Stock No	Diameter	Thread	Price
225904	160 mm	M14	6.76
225906	160 mm	½" UNC	6.76

Pink Sponge. Ultra soft. Use with dark colours and special polishes.

Stock No	Diameter	Thread	Price
225908	160 mm	M14	6.76
225910	160 mm	½" UNC	6.76

Yellow Sponge. Coarse with open cell. For aggressive jobs. Ideal for new LV paint.

Stock No	Diameter	Thread	Price
225912	160 mm	M14	8.36
225914	160 mm	½" UNC	8.36

Red Sponge. Ultra soft for final finish. Ideal for car valeting.

Stock No	Diameter	Thread	Price
225916	160 mm	M14	7.96



7" Lambswool Bonnet

Tie-on-type. Fits Sealey 7" polishers and other manufacturers similar machines. Uses a synthetic pile mix to obtain a deep polishing effect.

Stock No	Diameter	Price
225918	170 mm	5.96

**We accept Visa and Mastercard
Debit and Credit Cards**



Backing Pads

Rubber backing pads with M14 threads. Fit Sealey and other manufacturers polishers and sanders with M14 spindle.

Rubber Pad. Standard backing pad with centre lock nut for fixing sanding discs. Also accepts tie-on lambswool bonnets.

Stock No	Diameter	Thread	Price
225920	170 mm	M14	7.56

Rubber Pad. Hook and loop faced pad for use with hook and loop backed mops and compounding heads. Accepts 150 mm diameter attachments.

Stock No	Diameter	Thread	Price
225922	117 mm	M14	6.76

Rubber Pad. Hook and loop faced pad for use with hook and loop backed mops and compounding heads. Accepts 79 mm diameter attachments.

Stock No	Diameter	Thread	Price
225924	75 mm	M14	5.16



Hook & Loop Compounding Heads

Sealey brand. Synthetic sponge compounding heads, colour coded to indicate intended use. For Sealey and other manufacturers machines.

White Sponge. Dense and firm. Ideal for compounding two-pack paint systems.

Stock No	Diameter	Width	Price
225926	150 mm	50 mm	8.36
225928	79 mm	25 mm	4.36

Blue Sponge. Softer and more open cell. Ideal for cellulose and acrylics.

Stock No	Diameter	Width	Price
225930	150 mm	50 mm	7.16
225932	79 mm	25 mm	3.96

Pink Sponge. Ultra soft. Use with dark colours and special polishes.

Stock No	Diameter	Width	Price
225934	150 mm	50 mm	7.16
225936	79 mm	25 mm	3.96

Red Sponge. Ultra soft for final finish. Ideal for car valeting.

Stock No	Diameter	Width	Price
225938	150 mm	50 mm	8.36
225940	79 mm	25 mm	4.36



Sealey 6" Random Orbit Sander

Industrial quality, dual action, random orbit sander. For use in automotive refinishing workshops. Ideal for sanding paint, varnishes, fillers and plastics. Features include

- Light and well balanced.
- External access to carbon brushes for easy maintenance.
- Metal alloy gear housing for long service life.
- Accepts standard 6" self-adhesive abrasive discs.
- Supplied with soft foam backing pad and optional side handle.
- One year guarantee.

DAS150T Random Orbit Sander

Stock No	Voltage	Power Input	Price
197000	230 V	400 W	143.96
Pad Size	150 mm		
No Load Speed	6500 rpm		
Orbit Diameter	8 mm		
Spindle Thread	3/8" UNF		
Weight	2.2 kg		

Backing Pad. Soft foam pad with vinyl cover. Accepts self-adhesive abrasive discs.

Stock No	Diameter	Thread	Price
225946	150 mm	3/8" UNF	7.96

Backing Pad. Firm foam pad with vinyl cover. Accepts self-adhesive abrasive discs.

Stock No	Diameter	Thread	Price
225942	150 mm	3/8" UNF	10.36

Backing Pad. Blue foam pad with vinyl cover. Accepts hook and loop abrasive discs.

Stock No	Diameter	Thread	Price
225944	150 mm	3/8" UNF	11.16

Dust Free Conversion Kit. Converts the DAS150 T sander to dust free operation. With spout for attachment to vacuum extractor.

Stock No	Description	Price
197001	Dust Extraction Adaptor Kit	32.00



Sealey 6" Random Orbit Sander

Industrial quality, dual action, random orbit sander. For use in automotive refinishing workshops. Ideal for sanding paint, varnishes, fillers and plastics. Features include

- Heavy duty machine for continuous use.
- Ergonomically designed, palm fitting tool head.
- Lightweight tough composite motor housing.
- Metal alloy gear housing for long service life.
- Accepts standard 6" self-adhesive abrasive discs.
- Supplied with firm foam backing pad (stock no. 225942) and optional side handle.
- One year guarantee.

EDA150 Heavy Duty Random Orbit Sander

Stock No	Voltage	Power Input	Price
197002	230 V	360 W	223.96
Pad Size	150 mm		
No Load Speed	7000 rpm		
Orbit Diameter	8 mm		
Spindle Thread	3/8" UNF		
Weight	2.1 kg		

The EDA150 sander accepts the same backing pads as the DAS150T sander.



Sealey 6" Random Orbit Sander

Industrial quality, vertical type, random orbit sander. For use in automotive refinishing workshops. Ideal for sanding paint, varnishes, filler and plastics. Features include

- Heavy duty machine for continuous use.
- Tough composite body shell.
- Detachable front handle.
- Trigger on/off switch with lock-on option.
- Accepts standard 6" self-adhesive abrasive discs.
- Supplied with soft foam backing pad (stock no 225946).
- One year guarantee.

ER150D Heavy Duty Random Orbit Sander

Stock No	Voltage	Power Input	Price
197005	230 V	450 W	239.96
Pad Size	150 mm		
No Load Speed	8000 rpm		
Orbit Diameter	8 mm		
Spindle Thread	3/8" UNF		
Weight	3.5 kg		

The ER150D sander accepts the same backing pads as the DAS150T sander.

Sealey 6" Random Orbit Sander CONTINUED >

Dust Free Conversion Kit. Converts the ER150 D sander to dust free operation. With spout for attachment to vacuum extractor.

Stock No	Description	Price
197006	Dust Extraction Adaptor Kit	86.35



Sealey 6" Dust Free Random Orbit Sander

Industrial quality, dual action, random orbit sander with integral dust collection system. For use in automotive refinishing workshops. Ideal for sanding paint, varnishes, fillers and plastics. Features include

- Light and well balanced.
- External access to carbon brushes for easy maintenance.
- Tough composite motor housing.
- Metal alloy gear housing for long service life.
- Through-the-pad dust extraction system with outlet for attachment to vacuum extractor.
- Accepts 6" self-adhesive abrasive discs, punched with eight holes.
- Supplied with backing pad and optional side handle.
- One year guarantee.

DAS150T/DFS Dust Free Random Orbit Sander

Stock No	Voltage	Power Input	Price
197010	230 V	400 W	203.95

Pad Size	150 mm
No Load Speed	6500 rpm
Orbit Diameter	8 mm
Spindle Thread	5/8" UNF
Weight	2.5 kg

Sanding Pad. Foam pad with eight holes for through-the-pad dust extraction. Accepts self-adhesive abrasive discs.

Stock No	Diameter	Thread	Price
222400	150 mm	5/8" UNF	19.96

Sanding Pad. Foam pad with eight holes for through-the-pad dust extraction. Accepts hook and loop abrasive discs.

Stock No	Diameter	Thread	Price
222402	150 mm	5/8" UNF	21.56



Stock No 197010



Sealey 6" Dust Free Random Orbit Sander

Industrial quality, vertical type, random orbit sander with integral dust collection. For use in automotive refinishing workshops. Ideal for sanding paint, varnishes, fillers and plastics. Features include

- Heavy duty machine for continuous use.
- Tough composite body shell.
- Trigger on/off switch with lock-on option.
- Through-the-pad dust extraction system with outlet for attachment to vacuum extractor.
- Accepts 6" self-adhesive abrasive discs, punched with eight holes.
- Supplied with backing pad and detachable front handle.
- One year guarantee.

ER150D/DFS Dust Free Random Orbit Sander

Stock No	Voltage	Power Input	Price
197015	230 V	450 W	279.96

Pad Size	150 mm
No Load Speed	8000 rpm
Orbit Diameter	8 mm
Spindle Thread	5/8" UNF
Weight	3.8 kg

Sanding Pad. Foam pad with eight holes for through-the-pad dust extraction. Accepts self-adhesive abrasive discs.

Stock No	Diameter	Thread	Price
222400	150 mm	5/8" UNF	19.96

Sanding Pad. Foam pad with eight holes for through-the-pad dust extraction. Accepts hook and loop abrasive discs.

Stock No	Diameter	Thread	Price
222402	150 mm	5/8" UNF	21.56



Draper Polisher

Draper DIY polisher, ideal for paintwork on cars, caravans and boats. Features include

- Large flexible sponge backing pad.
- Soft grip front handle.
- Supplied with a cotton and a wool bonnet.
- One year guarantee.

PT240V Car Polisher

Stock No	Voltage	Power Input	Price
195870	230 V	150 W	28.54

Pad Size	240 mm
No Load Speed	2300 - 4100 rpm

Cotton Polishing Bonnet. With drawstring.

Stock No	Diameter	Price
222644	240 mm	2.48

Lambswool Polishing Bonnet. With drawstring.

Stock No	Diameter	Price
222646	240 mm	2.48



Sealey Polisher

Trade quality tool for buffing/ polishing vehicle paintwork. Features include

- Direct drive motor with overload protection.
- Impact resistant ABS housing.
- Two large D-handles for comfort and control.
- Smooth, low vibration operation.
- Random orbital action for even buffing/polishing with no hot spots.
- Supplied with 3 ply foam backing pad and two polishing bonnets.
- One year guarantee.

ER250P Car Polisher

Stock No	Voltage	Power Input	Price
197020	230 V	230 W	35.95

Pad Size	250 mm
No Load Speed	3000 rpm

Polishing Bonnet. With drawstring.

Stock No	Diameter	Pack Quantity	Price
225948	250 mm	3	9.55



Draper Belt Sander

Draper DIY belt sander. Features include

- Belt tracking adjustment.
- Soft grip handle.
- Dust extraction facility with dust bag.
- One year guarantee.

PT75 3" Belt Sander

Stock No	Voltage	Power Input	Price
195875	230 V	850 W	39.94
Belt Size	75 x 533 mm		
Weight	4 kg		



Makita 3" Belt Sander

Trade quality belt sander. Features include

- Automatic belt tracking system (no belt adjustment necessary after mounting).
- Easy belt change.
- Electronic variable speed control.
- Integral dust extraction system with dust bag.
- Easily hooks up to an external dust extractor for superior dust collection.
- Low noise at 82 dB.
- One year guarantee.

9911 3" Belt Sander

Stock No	Voltage	Power Input	Price
192699	110 V	650 W	92.30
192687	240 V	650 W	92.30
Belt Size	76 x 457 mm		
Belt Speed	75 - 270 m/min		
Weight	2.6 kg		



Makita 3" Belt Sander

Industrial quality belt sander. Features include

- Powerful, 1010 watt motor.
- Automatic belt tracking system.
- Easy belt change.
- Right side of machine can sand flush to a wall.
- Variable speed control allows selection of optimum speed for every application.
- Efficient dust extraction system with dust bag.
- Easily hooks up to an external dust extractor for superior dust collection.
- Low noise at 85 dB.
- One year guarantee.

9903 3" Belt Sander

Stock No	Voltage	Power Input	Price
192688	110 V	1010 W	170.30
192690	240 V	1010 W	170.30
Belt Size	76 x 533 mm		
Belt Speed	210 - 440 m/min		
Weight	4.3 kg		

9920 3" Belt Sander. Extra feature

- Longer base for better sanding performance.

Stock No	Voltage	Power Input	Price
193200	110 V	1010 W	177.45
193201	240 V	1010 W	177.45
Belt Size	76 x 610 mm		
Belt Speed	210 - 440 m/min		
Weight	4.5 kg		

Inversion Stand

Stock No	Fits	Price
193202	9903, 9920	39.60

Sanding Frame

Stock No	Fits	Price
193203	9903	56.80
193204	9920	56.80



Makita 4" Belt Sander

Industrial quality belt sander. Features include

- Powerful 1010 watt motor.
- Automatic belt tracking system.
- Easy belt change.
- Right side of machine can sand flush to a wall.
- Variable speed control allows selection of optimum speed for every application.
- Efficient dust extraction system with dust bag.
- Easily hooks up to an external dust extractor for superior dust collection.
- Low noise level at 85 dB.
- One year guarantee.

9404 4" Belt Sander

Stock No	Voltage	Power Input	Price
192692	110 V	1010 W	185.90
192694	240 V	1010 W	185.90
Belt Size	100 x 610 mm		
Belt Speed	210 - 440 m/min		
Weight	4.7 kg		

Sanding Frame

Stock No	Fits	Price
192695	9404	56.80



Makita 4" Belt Sander

Industrial quality, heavy duty, belt sander. Features include

- Powerful 1040 watt motor.
- Belt tracking adjustment.
- Easy belt change.
- Low centre of gravity for easy handling.
- Right side of machine can sand flush to a wall.
- Efficient dust extraction system with dust bag.
- Easily hooks up to an external dust extractor for superior dust collection.
- Supplied with inversion stand.
- One year guarantee.

9401 Super Duty Belt Sander

Stock No	Voltage	Power Input	Price
193210	110 V	1040 W	256.75
193211	240 V	1040 W	256.75
Belt Size	100 x 610 mm		
Belt Speed	350 m/min		
Weight	7.3 kg		



Stock No 190640


Makita 4" Belt Sander

Industrial quality, heavy duty, belt sander. Features include

- Powerful 1200 watt motor.
- Belt tracking adjustment.
- Easy belt change.
- Fast belt speed for fast stock removal.
- Motor and bearings sealed from dust contamination.
- Efficient dust extraction system with dust bag.
- Dust bag swivels through 360° for convenience.
- Easily hooks up to an external dust extractor for superior dust collection.
- Low noise level at 84 dB.
- The electric cable is attached at the top of the machine, keeping the cable away from sanding operations.
- One year guarantee.

9403 Super Duty Belt Sander

Stock No	Voltage	Power Input	Price
193212	110 V	1200 W	244.40
193213	240 V	1200 W	244.40

Belt Size	100 x 610 mm
Belt Speed	500 m/min
Weight	5.9 kg


Bosch 3" Belt Sander

Industrial quality belt sander. Suitable for material removal and surface preparation. Features include

- Fine deflection roller adjustment for exact belt running.
- Stable quick-clamping lever for easy belt changes.
- Aluminium rollers for heavy duty use.
- Removable front handle allows front of machine to sand close to a wall.
- Variable speed control allows selection of optimum speed for every application (wood, plastic and metal).
- Graphite coated base plate for best sanding results.
- Integral dust extraction system with dust bag.
- Easily hooks up to a vacuum extractor for superior dust collection.
- Sturdy toothed drive belt with metal toothed belt wheels for long operational life.
- Supplied with parallel/angle guide and inversion stand.
- Three year guarantee.
- Supplied in carry case.

GBS 75AE 3" Belt Sander

Stock No	Voltage	Power Input	Price
191753	230 V	750 W	240.00

Belt Size	75 x 533 mm
Belt Speed	200 - 330 m/min
Weight	3.4 kg

Bosch 3" Belt Sander CONTINUED >

GBS 75AE Belt Sander Accessories

Stock No	Description	Price
191754	Inversion Stand	24.95
191755	Parallel and Angle Guide	21.43
191756	Sanding Frame	88.27


Bosch 4" Belt Sander

Industrial quality belt sander. Sturdy machine, suitable for sanding wood and metal. Features include

- Powerful 1200 watt motor.
- Fine deflection roller adjustment for exact belt running.
- Stable quick-clamping lever for easy belt changes.
- Moveable front handle allows front of machine to sand close to a wall.
- Right side of machine can sand flush to a wall.
- Dustproof needle bearings in front roller for long operational life.
- Graphite coated base plate for best sanding results.
- Integral dust extraction system with dust bag.
- Heat-resistant metal flap at dust inlet for sanding metal.
- Easily hooks up to a vacuum extractor for superior dust collection.
- Variable sanding belt length (610 and 620 mm).
- Inversion stand and sanding frame available as accessories.
- Sturdy toothed drive belt with metal toothed belt wheels for long operational life.
- Three year guarantee.

GBS 100A 4" Belt Sander

Stock No	Voltage	Power Input	Price
191760	110 V	1200 W	258.00
191765	230 V	1200 W	258.00

Belt Size (1)	100 x 610 mm
Belt Size (2)	100 x 620 mm
Belt Speed	450 m/min
Weight	6.2 kg

GBS 100A Belt Sander Accessories

Stock No	Description	Price
191766	Inversion Stand	70.30
191767	Parallel and Angle Guide	44.58
191768	Sanding Frame	95.74


DeWalt 3" Belt Sander

Industrial quality belt sander. Suitable for material removal and surface preparation. Features include

- Powerful motor for fast efficient material removal.
- Automatic belt tracking system with manual override for precise belt running.
- Easy lever-action belt change.
- Three wheel design increases belt contact area, improving sanding performance.
- Variable speed control allows selection of optimum speed for every application (wood, plastic and metal).
- Right side of machine can sand flush to a wall.
- Integral dust collection system with dust container.
- Easily hooks up to a vacuum extractor for superior dust collection.
- Inversion stand and sanding frame available as accessories.
- The electric cable is attached at the top of the machine, keeping the cable away from sanding operations.
- One year guarantee.

DW433 DeWalt Belt Sander

Stock No	Voltage	Power Input	Price
190640	110 V	800 W	225.00
190641	230 V	800 W	225.00

Belt Size	75 x 533 mm
Belt Speed	259 - 427 m/min
Weight	5.6 kg

DW433 Belt Sander Accessories

Stock No	Description	Price
190642	Inversion Stand	79.00
190643	Sanding Frame	30.00
190644	Dust Extraction Adaptor	13.00


Stock No 191760

CONTINUED >



DeWalt 4" Belt Sander

Industrial quality, heavy duty, belt sander. Features include

- Powerful motor that minimises belt slow-down under load.
- Low centre of gravity for stability in use.
- Two handles arranged for balance and control.
- Easy lever-action belt change.
- Right side of machine can sand flush to a wall.
- Dustproof bearings set in aluminium frame for long operational life.
- Steel base plate with cork backing ensures that sanding area remains flat.
- Integral dust collection system with dust bag.
- Easily hooks up to a vacuum extractor for superior dust collection.
- Inversion stand and sanding frame available as accessories.
- One year guarantee.

DW650 Heavy Duty Belt Sander

Stock No	Voltage	Power Input	Price
190647	110 V	1010 W	329.00
190648	230 V	1010 W	329.00
Belt Size 100 x 560 mm			
Belt Speed 350 m/min			
Weight 6.3 kg			

DW650E Heavy Duty Belt Sander. Extra feature

- Variable speed control allows selection of optimum speed for every application.

Stock No	Voltage	Power Input	Price
190649	230 V	1010 W	299.00
Belt Size 100 x 560 mm			
Belt Speed 250 - 380 m/min			
Weight 6.4 kg			

DW650, DW650E Belt Sander Accessories

Stock No	Description	Price
190650	Inversion Stand	79.00
190651	Sanding Frame	32.00
190652	Dust Extraction Adaptor	6.00



Makita Multi-Purpose Sander

Industrial quality belt sander, designed for quick and efficient material removal in hard to reach places.

Features include

- Compact and lightweight.
- Narrow belt and exposed front pulley for access to confined locations.
- Ball and needle bearing construction for smooth operation and long tool life.
- Variable speed.
- Dust extraction facility.
- Multi-position side handle.
- Supplied with 10 abrasive belts.
- One year guarantee.

9031 Belt Sander

Stock No	Voltage	Power Input	Price
192696	110 V	550 W	178.10
192698	240 V	550 W	178.10
Belt Size 30 x 533 mm			
Belt Speed 200 - 1000 m/min			
Weight 2.1 kg			

Abrasive Belts. Supplied and priced in packs of five.

Stock No	Size	Grit	Price
225960	30 x 533 mm	40	4.40
225962	30 x 533 mm	60	4.40
225964	30 x 533 mm	80	4.40
225966	30 x 533 mm	150	4.40



Makita Filing Sander

Industrial quality belt sander designed for filing and sanding in hard to reach places. Features include

- Compact and lightweight.
- Narrow belt and exposed front pulley for access to confined locations.
- Sanding arm pivots through 100°.
- Easily adjustable belt tracking.
- Electronic speed control.
- Dust extraction facility.
- 3 different arm assemblies available to accept 6, 9 and 12 mm wide belts (9 mm supplied with machine).
- One year guarantee.

9032 Belt Sander

Stock No	Voltage	Power Input	Price
192700	110 V	500 W	118.95
192702	240 V	500 W	118.95
Belt Size 9 x 533 mm			
Belt Speed 300 - 1700 m/min			
Weight 1.5 kg			

Abrasive Belts. Supplied and priced in packs of five.

Stock No	Size	Grit	Price
225970	9 x 533 mm	40	3.92
225972	9 x 533 mm	60	3.92
225974	9 x 533 mm	80	3.92
225976	9 x 533 mm	150	3.92

Arm Assemblies

Stock No	Width	Price
192704	6 mm	27.20
192705	9 mm	14.40
192706	12 mm	31.60



Stock No 190647